

Erectile Function Questionnaire

Please circle the number of your chosen response

Question	Response Options
Over the last four weeks:	
Q 1: How often were you able to get an erection during sexual activity?	0 = No sexual activity 1 = Almost never/never 2 = A few times (much less than half the time) 3 = Sometimes (about half the time) 4 = Most times (much more than half the time) 5 = Almost always/always
Q 2: When you had erections with sexual stimulation, how often were your erections hard enough for penetration?	0 = No sexual activity 1 = Almost never/never 2 = A few times (much less than half the time) 3 = Sometimes (about half the time) 4 = Most times (much more than half the time) 5 = Almost always/always
Q 3: When you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	0 = Did not attempt intercourse 1 = Almost never/never 2 = A few times (much less than half the time) 3 = Sometimes (about half the time) 4 = Most times (much more than half the time) 5 = Almost always/always
Q 4: During sexual intercourse, <u>how often</u> were you able to maintain your erection after you had penetrated (entered) your partner?	0 = Did not attempt intercourse 1 = Almost never/never 2 = A few times (much less than half the time) 3 = Sometimes (about half the time) 4 = Most times (much more than half the time) 5 = Almost always/always
Q 5: During sexual intercourse, <u>how difficult</u> was it to maintain your erection to completion of intercourse?	0 = Did not attempt intercourse 1 = Extremely difficult 2 = Very difficult 3 = Difficult 4 = Slightly difficult 5 = Not difficult
Q 6: How many times have you attempted sexual intercourse?	0 = No attempts 1 = One to two attempts 2 = Three to four attempts 3 = Five to seven attempts 4 = Seven to ten attempts 5 = Eleven+ attempts
Q 7: When you attempted sexual intercourse, how often was it satisfactory for you?	0 = Did not attempt intercourse 1 = Almost never/never 2 = A few times (much less than half the time) 3 = Sometimes (about half the time) 4 = Most times (much more than half the time) 5 = Almost always/always

-
- Q 8: How much have you enjoyed sexual intercourse
- 0 = No intercourse
 - 1 = No enjoyment
 - 2 = Not very enjoyable
 - 3 = Fairly enjoyable
 - 4 = Highly enjoyable
 - 5 = Very highly enjoyable
- Q 9: When you had sexual stimulation or intercourse, how often did you have the feeling of orgasm or climax?
- 0 = No sexual stimulation/intercourse
 - 1 = Almost never/never
 - 2 = A few times (much less than half the time)
 - 3 = Sometimes (about half the time)
 - 4 = Most times (much more than half the time)
 - 5 = Almost always/always
- Q 10: How often have you felt sexual desire?
- 1 = Almost never/never
 - 2 = A few times (much less than half the time)
 - 3 = Sometimes (about half the time)
 - 4 = Most times (much more than half the time)
 - 5 = Almost always/always
- Q 11: How would you relate your level of sexual desire?
- 1 = Very low/none at all
 - 2 = Low
 - 3 = Moderate
 - 4 = High
 - 5 = Very high
- Q 12: How satisfied have you been with your overall sex life?
- 1 = Very dissatisfied
 - 2 = Moderately dissatisfied
 - 3 = About equally satisfied and dissatisfied
 - 4 = Moderately satisfied
 - 5 = Very satisfied
- Q 13: How satisfied have you been with your sexual relationship with your partner?
- 1 = Very dissatisfied
 - 2 = Moderately dissatisfied
 - 3 = About equally satisfied and dissatisfied
 - 4 = Moderately satisfied
 - 5 = Very satisfied
- Q 14: How do you rate your confidence that you could get and keep an erection?
- 1 = Very low
 - 2 = Low
 - 3 = Moderate
 - 4 = High
 - 5 = Very high
-

Since having surgery;

- Q 1: How long after the operation did you first regain erections that were satisfactory to penetrate (enter) your partner?
- 1 = Less than 3 months after
2 = Between 3 and 6 months after
3 = Between 6 and 12 months after
4 = Between 12 and 24 months after
5 = More than 24 months (2 years) after
- Q 2: Which of the following treatments are you currently using to maintain your erections?
- 0 = None
1 = Viagra
2 = MUSE
3 = Penile injections (Caverject or Trimix)
4 = Vacuum erection device
5 = Penile prosthesis
- Q 3: Are you able to maintain an erection satisfactory to penetrate (enter) your partner without this treatment (from Q 2)?
- 0 = Yes
1 = No
- Q 4: Which of the following treatments have you tried and found to be unhelpful in maintaining your erections?
- 0 = None
1 = Viagra
2 = MUSE
3 = Penile injections (Caverject or Trimix)
4 = Vacuum erection device
5 = Penile prosthesis
-